
TED Togo Wireless Remote Guide V2



Pack Components



Wireless Button*1pc



Wireless Receiver*1pc



Red O-ring*2pcs




Communication Splitter Cable*1pc

Installation Instruction


Step1: As you can see in the **"System Connection Diagram"**, connect the wireless receiver to the system. Remember to put 2pcs Red O-ring onto the connectors.

NOTE: the Communication Splitter Cable can be fitted at whichever end of the long extension cable is convenient, so the receiver can be mounted either with the processor or behind the control panel as preferred.

Step 2: Mount the receiver, using M3*6 screws to fix the receiver, or using double-sided tape, or simply leave hanging if preferred.



Step 3: Remove the backing paper on the back of the wireless button, and mount it to the wall in the desired location. Alternatively, it can be left portable. NOTE: before fixing, follow the pairing procedure and check the operation is reliable for the final location. If not, consider relocating the receiver nearer to the remote button (e.g. behind the control panel)



Pairing Procedure

- After connecting the receiver and the rest of the system, carry out the commissioning process to program the divertor (if multi outlet system) for the number of active outlets;
- Turn OFF the mains power to the processor for at least 10 seconds.
- Turn the mains power back on, and **double-click** the remote button within 20 seconds. This will pair it to the receiver.
- Press the remote button one more time to turn the shower on to test.

System Connection Diagram

